

Royal & Co – Bidet Proposal



Royal & Co. Ltd
2014

www.royalbidet.ru


Real Bath, Real Life!

Технологии биде



Воздушные Wash пузыри

Использование воздуха и воды в соотношении 50:50, вода распыляется равномерно, с меньшим шумом и комфортно для пользователей.



Низкое давление и авто регулирование форсунки

Использование низкого давления и автоматического регулирования форсунки позволяет пользователю чувствовать себя комфортно при использовании нашего продукта



2 насадки в 1) Nozzle

Использование технологии Silver Nano для форсунок,



Авто биде, авто мойка

Запрограммировано заранее мыть, в одно касание нажатием кнопки, от мойки до сушки.

Royal & Co

Bidet – RB1350/1450

HD(Hidden Display) SERIES (RB1300 / RB1400 SERIES)



Specification

item		content	
Power rating		AC 220-240V, 50/60Hz, 1070W	
Ambient temperature		0°C ~ 40°C	
Cleansing	Water	Water supply	Direct connection to water tap
		Water pressure	0.7 ~ 7.5kgf/cm ²
	Nozzle flow rate	Rear cleansing	Approx. 0.25 ~ 0.4L/min.
		Front cleansing	Approx. 0.35 ~ 0.5L/min.
	Heater power usage		1000W
	Water tank capacity		0.6L
	Water temperature control		Adjustable (30°C, 35°C, 40°C)
Safety device		Temperature fuse, Manual reset, bimetal switch	
Air	Heater power usage		250W
	Air temperature control		Adjustable 40°C~60°C
	Safety device		Temperature fuse
Seat	Heated power usage		45W
	Heated seat temperature control		Adjustable 30°C, 35°C, 40°C
	Safety device		Temperature fuse
Length of power cord		1.5m	
Product dimension(WxDxH)		471 mm x 534 mm x 151mm	
weight		4.8kgs	

Touch type of Hidden display, its simplicity

- Only while in use, the control button light on
- Simple and chic design
- User-friendly touch type of button
- 3 steps' hidden button system for energy saving
- Its round edge makes varied sanitary ceramics well fitted possible.

Key function

- Pulsating, seat sensor, water supply pressure air temperature control (5 settings), Water/seat temperature (4 settings), fine tuning of nozzle movement, oscillating, auto energy saving, instantaneous water heating, air rated warm water washing, automatic control of low water pressure, 2 in 1 nano silver nozzle

СКРЫТЫЙ ДИСПЛЕЙ



Ожидание

Переключение из режима ожидания в автоматический режим

Во время использования экрана

Полный экран



Круглый дизайн

* Возможность подбора черной экран или серый экран

